

TECHNICAL DATA SHEET





DESCRIPTION

A special water based tire dressing, formulated for use on al trim, rubber, and tires. This product goes on clear, eliminating imperfections caused by variable and uneven applications. Over application will not result in white streaks once the vehicle has left the facility. Highly viscous to prevent the "scattering" of the dressing once the vehicle is in motion.

BENEFITS

- Water based for easy application and containment.
- Leaves behind a deep clean shine.
- Easy leveling and application.
- Safe to handle and store. / VOC Free.
- Contains Graphene

METHOD OF USE

Apply EZ Shine to a surface that is cool to the touch and out of direct sunlight. Apply EZ Shine to an applicator and spread it over the surface in a thin and even layer. Wipe of the excess product using a clean and dry mirofiber towel. Allow to dry completely to reduce the risk of slinging.

TECH SPECS

Light Green	рН	7
Carribbean Vanilla	Specific Gravity	1.01
Liquid	Viscosity	Moderate
None	Foam	None
212°F	Biodegradable	100%
	Carribbean Vanilla Liquid None	Carribbean Vanilla Specific Gravity Liquid Viscosity None Foam

STORAGE & HANDLING

Keep container closed until use. Keep out of direct sunlight and heat. Discard waste appropriately. Shelf life is approx. 1 year.

NOTES

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof.

In light of the foregoing, Graphenoil specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Graphenoil products. Graphenoil specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits.

The discussion herein of various processes or compositions is not to be interpreted as representation that they are free from domination of patents owned by others or as a license under any Graphenoil patents that may cover such processes or compositions. We recommend that each prospective user test his proposed application before repetitive use, using this data as a guide. This product may be covered by one or more United States or foreign patents or patent applications.

TRADEMARK USAGE

Except as otherwise noted, all trademarks in this document are trademarks of Graphenoil in the USA and elsewhere.

Output

Description

Output

Description Trademark Office. Any and all Graphenoil marks may not be used without prior consent.

16310 HOLLISTER ST. HOUSTON, TX 77066



832.666.3143 | WWW.GRAPHENOIL.COM